HAND-HELD PNEUMATIC SKINNER MODEL JHSL



Jarvis' Model JHSL is a light-weight handheld pneumatic Skinner for removing skin and fat from pork carcasses. Also hand held trimming of beef, poultry and fish.

JARVIS®

- Specially designed for fast and efficient removal of trimming strips, rounds, butts, hindquarters, and loins from pork carcasses.
- Also useful for ham trimming and defatting, fish skinning, chicken breast skin removal, and turkey membrane trimming.
- Four different cutting depths available – 1/16", 1/8", 3/16" and 1/4".
- Low-cost skinning of boars and sows with uniform, controlled-depth removal of skin and fat.
- Provides clean, uniform skin removal without knife cuts or gashes.
- Lightweight, easy to operate, clean and maintain.
- Adjustable 360-degree rotating handle for comfortable handling.



FAST, HYGIENIC, EFFICIENT

AIG GROUP

JARVIS®

HEADQUARTER
PT ARSI INDO GRAHA
INDONESIA
+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE
RC INDO GROUP LIMITED
RWANDA
+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI
+971507169760
info@arsyi.com
www.arsyi.com

HAND-HELD PNEUMATIC SKINNER MODEL JHSL

Specifications

Drive			Pneumatic Motor
Model JHSL			
Hand-Held Pneumatic Skinner			
Motor Power		0.7 hp	522 W
Operating Pressure		90 psi	6.2 bar
Air Consumption		25 ft^3 / min	0.71 m^3 / min
Capacity			Estimated 900 carcasses/hour
Toothroll Speed			650 rpm
Control Handle		One Trigger	Pneumatic
Overall Dimensions (L x W x H)		9.1 x 4.5 x 2.5 in	230 x 114 x 64 mm
Blade Length		3.75 in	95 mm
Skinning Width	Narrow		
	Medium		
	Wide	3.0 in	76 mm
Skinning Depth		0.06 in	1.5 mm
		0.13 in	3.0 mm
		0.20 in	5.0 mm
		0.25 in	6.5 mm
Weight		3.54 lbs	1.61 kg
Noise @ 1 meter			94 dBA
Vibration		111dB	0.33m/sec^2

Equipment Selection and Accessories			Order Number
Model JHSL Hand-Held Pneumatic Skinner			
Model No.	Type	Cut Depth	Number
JHS-315	Wide Width	0.06 in / 1.5 mm	4034081
JHS-330	Wide Width	0.13 in / 3.0 mm	4034082
JHS-350	Wide Width	0.19 in / 5.0 mm	4034083
JHS-365	Wide Width	0.25 in / 6.5 mm	4034084
Toothroll Assembly			3037004
Blade			1023014
Optional Air Hose (with connector)			1059002
Optional Air Filter / Regulator / Lubricator			3022003
Optional Suspension Bracket			1042073
Optional Spring Balancer			4042043

AIG GROUP

JARVIS®

HEADQUARTER
PT ARSI INDO GRAHA
INDONESIA
+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE
RC INDO GROUP LIMITED
RWANDA
+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI
+971507169760
info@arsyi.com
www.arsyi.com

HAND-HELD PNEUMATIC SKINNER MODEL JHSL



Jarvis Model JHSL adalah Skinner pneumatik genggam ringan untuk menghilangkan kulit dan lemak dari karkas babi. Juga cocok untuk trimming daging sapi, unggas, dan ikan.

JARVIS®

- Dirancang untuk mengupas kulit dan lemak pada berbagai bagian karkas babi dengan cepat dan efisien.
- Cocok untuk trimming ham, penghilangan lemak, pengupasan kulit ikan, kulit dada ayam, dan membran kalkun.
- Tersedia 4 pilihan kedalaman pemotongan: 1/16”, 1/8”, 3/16”, dan 1/4”.
- Pengupasan kulit babi yang ekonomis dengan hasil seragam dan kedalaman pemotongan yang terkontrol.
- Menghasilkan pengupasan kulit yang bersih dan merata tanpa bekas sayatan.
- Ringan, mudah dioperasikan, dibersihkan, dan dirawat







CEPAT, HIGIENIS, EFISIEN

AIG GROUP

JARVIS®

HEADQUARTER
PT ARSI INDO GRAHA
INDONESIA
+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE
RC INDO GROUP LIMITED
RWANDA
+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI
+971507169760
info@arsyi.com
www.arsyi.com

HAND-HELD PNEUMATIC SKINNER
MODEL JHSL

Spesifikasi			
Drive			Motor Pneumatik
Model JHSL			
Hand-Held Pneumatic Skinner			
Daya Motor		0.7 hp	522 W
Tekanan Operasional		90 psi	6.2 bar
Konsumsi Udara		25 ft^3 / min	0.71 m^3 / min
Kapasitas		Estimated 900 carcasses/hour	
Kecepatan Toothroll			650 rpm
Tuas Pengendali		One Trigger	Pneumatic
Dimensi Keseluruhan (P x L x T)		9.1 x 4.5 x 2.5 in	230 x 114 x 64 mm
Panjang Blade		3.75 in	95 mm
Lebar Skinning	Narrow (Sempit)		
	Medium (Sedang)		
	Wide (Lebar)	3.0 in	76 mm
Kedalaman Skinning		0.06 in	1.5 mm
		0.13 in	3.0 mm
		0.20 in	5.0 mm
		0.25 in	6.5 mm
Berat		3.54 lbs	1.61 kg
Kebisingan @ 1 meter			94 dBA
Getaran		111dB	0.33m/sec^2

Pilihan Peralatan dan Aksesori	Nomor Pemesanan

Model JHSL Hand-Held Pneumatic Skinner

Model No.	Tipe	Kedalaman Pemotongan	Number
JHS-315	Wide Width	0.06 in / 1.5 mm	4034081
JHS-330	Wide Width	0.13 in / 3.0 mm	4034082
JHS-350	Wide Width	0.19 in / 5.0 mm	4034083
JHS-365	Wide Width	0.25 in / 6.5 mm	4034084

Toothroll Assembly	3037004
Blade	1023014
Optional Air Hose (dengan connector)	1059002
Optional Air Filter / Regulator / Lubricator	3022003
Optional Suspension Bracket	1042073
Optional Spring Balancer	4042043

AIG GROUP

JARVIS®

HEADQUARTER
PT ARSI INDO GRAHA
INDONESIA
+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE
RC INDO GROUP LIMITED
RWANDA
+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI
+971507169760
info@arsyi.com
www.arsyi.com