


HYDRAULIC DEHIDING MACHINE (HYDRAULIC OIL NOT INCLUDED)



Which mainly used to remove skin from cattle carcass, and the skin will be completely removed without being broken, and the machine must be used with an overhead conveyor rail.

- The detailed data as introduction is as follows:
- Working principle: The machine is driven by a hydraulic system, and includes main structure, cylinder, motor, and skin removing roller.
- When the cattle have been fixed in the skin removing position, press the “UP” button, and the skin removing roller will move up to the appointed position for skin removal through hydraulic driving.
- Then, when the cattle carcass has been fixed on the machine, press the “DOWN” button.
- The complete cattle skin will be removed from hind legs to head (the cattle carcass hind legs will be hung on the overhead conveyor rail) through the skin removing roller descending.
- Meanwhile, two workers will use knives to separate the skin from beef when the roller descends



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

☎ +6281270762750

✉ info@arsiindograha.com

🌐 www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

☎ +250793885693

✉ info@rcrwanda.com

🌐 www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

☎ +971507169760

✉ info@arsyi.com

🌐 www.arsyi.com

HYDRAULIC DEHIDING MACHINE (HYDRAULIC OIL NOT INCLUDED)

CD Rated voltage	380VAc
Motor rotate speed Cylinder stroke	100~2000R/Min 2200mm
Controll voltage	24VDc
Hydraulic power station	5.5kW
Capacity	30-50cattle/h
Hydraulic pressure station working pressure	: 6.3-8Mpa
Overall size	1500*635*4936mm(L*W*H)
Material	Hot galvanized steel pole stainless steel skin removing roller Stainless steel chain



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

☎ +6281270762750
✉ info@arsiindograha.com
🌐 www.arsiindograha.com

GLOBAL OFFICE


RC INDO GROUP LIMITED
RWANDA

☎ +250793885693
✉ info@rcrwanda.com
🌐 www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

☎ +971507169760
✉ info@arsyi.com
🌐 www.arsyi.com

HYDRAULIC DEHIDING MACHINE (HYDRAULIC OIL NOT INCLUDED)



- Alat ini terutama digunakan untuk menghilangkan kulit dari karkas sapi dan kulit dapat dilepaskan secara utuh tanpa mengalami kerusakan. Mesin ini harus digunakan bersama overhead conveyor rail.
- Rincian data sebagai penjelasan awal adalah sebagai berikut:
 - Prinsip kerja: Mesin digerakkan oleh sistem hidrolis dan terdiri dari rangka utama, cylinder, motor, dan skin removing roller.
 - Setelah sapi diposisikan pada posisi penghilangan kulit (removing position), tekan tombol "UP". Skin removing roller akan bergerak naik ke posisi yang telah ditentukan untuk proses penghilangan kulit dengan penggerak hidrolis.
 - Selanjutnya, setelah karkas sapi tepat diposisikan pada mesin, tekan tombol "DOWN".
 - Kulit sapi akan dilepaskan secara utuh dari bagian kaki belakang hingga kepala melalui gerakan turun skin removing roller. Kaki belakang karkas sapi digantung pada overhead conveyor rail.
 - Sementara, dua pekerja menggunakan pisau untuk memisahkan kulit dari daging sapi ketika roller bergerak turun.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

☎ +6281270762750

✉ info@arsiindograha.com

🌐 www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

☎ +250793885693

✉ info@rcrwanda.com

🌐 www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

☎ +971507169760

✉ info@arsyi.com

🌐 www.arsyi.com

HYDRAULIC DEHIDING MACHINE (HYDRAULIC OIL NOT INCLUDED)

CD Rated tegangan	380VAc
Rotasi kecepatan Motor Jarak gerak silinder	100~2000R/Min 2200mm
Kontrol tegangan	24VDc
Unit Tenaga Hidrolik	5.5kW
Kapasitas	30-50 sapi/jam
Tekanan Kerja Unit Hidrolik	: 6.3-8Mpa
Keseluruhan Ukuran	1500 x 635 x 4936 mm(L x W x H)
Material	Pole (tiang) berbahan hot galvanized steel. Skin removing roller berbahan stainless steel. Chain (rantai) berbahan stainless steel.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

☎ +6281270762750
✉ info@arsiindograha.com
🌐 www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

☎ +250793885693
✉ info@rcrwanda.com
🌐 www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

☎ +971507169760
✉ info@arsyi.com
🌐 www.arsyi.com