

STEAM VACUUM HOCK CLEANING SYSTEM MODEL HS-1, MODEL HS-2



**Model HS-1
Front Legs**



**Model HS-2
Rear Hocks**

**The Jarvis Models HS-1 and HS-2 -
steam vacuum hock cleaning systems.**

- The HS-1 and HS-2 are specifically designed for microbial reduction and the removal of contaminants from front legs (HS-1) and rear hocks (HS-2).
- Increases shelf-life by reducing the amount of bacteria found on the carcass.
- Increases yield - less trimming required.
- Lightweight handpiece for optimum operator comfort.
- All stainless construction for maximum hygiene.
- Vacuum systems sized specifically for your requirements.

JARVIS



AIG GROUP
JARVIS®

HEADQUARTER

**PT ARSI INDO GRAHA
INDONESIA**

☎ +6281270762750

✉ info@arsiindograha.com

🌐 www.arsiindograha.com

GLOBAL OFFICE

**RC INDO GROUP LIMITED
RWANDA**

☎ +250793885693

✉ info@rcrwanda.com

🌐 www.rcrwanda.com

**ARSYI GLOBAL L.L.C-FZ
DUBAI**

☎ +971507169760

✉ info@arsyi.com

🌐 www.arsyi.com

STEAM VACUUM HOCK CLEANING SYSTEM MODEL HS-1, MODEL HS-2

Specifications

Handpiece

Hot Water Requirements	3.5 gal / min at 60 psi at 180°F	13.2 L / min at 4.1 bar at 83°C
Vacuum Requirements / Handpiece	1000 ft ³ / min at 14 in Hg	28.3 m ³ / min at 356 mm Hg
Control Handles / Air / Single / Trigger	100 psi	6.8 bar
Capacity / Handpiece	390 carcasses / hour	
Overall Weight / Size (L x W x H)		
HS-1	12 lbs	5.4 kg
HS-2	16 lbs	7.3 kg
Max. Steam Requirements	200 lbs / hr at 30 psi	
	91 kg / hour at 2.1 kg/ cm	

Vacuum Pump

Motor Power / Air Flow

3008430	50 hp / 1000 ft / min	37.3 kW / 28.3 m ³ / min
3008433	100 hp / 2000 ft / min	75 kW / 57 m ³ / min

Overall Dimensions (L x W x H)

50 hp	71 x 43 x 83 in	1803 x 1092 x 2108 mm
100 hp	95 x 78 x 70 in	2413 x 1981 x 1778 mm

Filters (4, 5 and 12 inch filters also available)

3034013 - 6 in Flanged	1100 ft ³ / min	31 m ³ / min
16 dia. x 29 in	406 dia. x 714 mm	95 lbs
1034070 - Filter Element		43 kg
3034024 - 6 in Flanged (stainless steel)	1100 ft ³ / min	31 m ³ / min
16 dia. x 29 in	406 dia. x 714 mm	95 lbs
1034081 - Filter Element (stainless steel)		43 kg
3034010 - 8 in Flanged	2000 ft ³ / min	57 m ³ / min
20 dia. x 38 in	508 dia. x 965 mm	185 lbs
1034065 - Filter Element		84 kg
3034015 - 10 in Flanged	3000 ft ³ / min	85 m ³ / min
24 dia. x 57.5 in	610 dia. x 1461 mm	380 lbs
1034074 - Filter Element		172 kg

Sediment Tank Overall Dimensions (diameter x height)

3061301 (138 gal) 2000 ft ³ / min	57 m ³ / min	36 dia. x 86 in	914 dia. x 2184 mm
3061304 (357 gal) 4000 ft ³ / min	113 m ³ / min	5 dia. x 104 in	1372 dia. x 2642 mm

Equipment Selection and Accessories Order Number		Order Number
Steam Vacuum Hock Cleaning System		
HS-1	Front Leg Cleaner with control handles	3019248
HS-2	Rear Hock Cleaner with control handles	3019249
Balancer	HS-1 & HS-2	4042002
Pneumatic Auto Dump Valve		
	115 V, 3 phase, 60 Hz*	3022089
	220 V, 3 phase, 50 Hz*	3022111

* For other configurations: please specify voltage, hertz and intended country of operation when ordering.



JARVIS®

HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com

STEAM VACUUM HOCK CLEANING SYSTEM MODEL HS-1, MODEL HS-2



**Model HS-1
Front Legs**



**Model HS-2
Rear Hocks**

JARVIS

**Jarvis Models HS-1 and HS-2 -
sistem pembersih hock (sendi khaki) dengan
steam vacuum.**

- HS-1 dan HS-2 dirancang khusus untuk mengurangi mikroba dan menghilangkan kontaminasi dari kaki depan (HS-1) dan kaki belakang (HS-2).
- Membantu memperpanjang masa simpan dengan mengurangi jumlah bakteri yang terdapat pada karkas.
- Meningkatkan hasil daging dengan mengurangi kebutuhan untuk melakukan trimming.
- Handpiece (alat genggam) ringan untuk memberikan kenyamanan optimal bagi operator.
- Konstruksi seluruh alat terbuat dari stainless steel untuk menjaga higienitas yang maksimal.
- Ukuran vacuum systems dapat disesuaikan secara khusus dengan kebutuhan.



AIG GROUP
JARVIS®

HEADQUARTER

**PT ARSI INDO GRAHA
INDONESIA**

☎ +6281270762750

✉ info@arsiindograha.com

🌐 www.arsiindograha.com

GLOBAL OFFICE

**RC INDO GROUP LIMITED
RWANDA**

☎ +250793885693

✉ info@rcrwanda.com

🌐 www.rcrwanda.com

**ARSYI GLOBAL L.L.C-FZ
DUBAI**

☎ +971507169760

✉ info@arsyi.com

🌐 www.arsyi.com

STEAM VACUUM HOCK CLEANING SYSTEM MODEL HS-1, MODEL HS-2

Spesifikasi

Handpiece

Kebutuhan Air Panas	3.5 gal / min at 60 psi at 180°F	13.2 L / min at 4.1 bar at 83°C
Kebutuhan Vakum / Handpiece	1000 ft ³ / min at 14 in Hg	28.3 m ³ / min at 356 mm Hg
Tuas Pengendali / Udara / Tunggal / Trigger	100 psi	6.8 bar
Kapasitas / Handpiece	390 carcasses / hour	
Berat Keseluruhan / Ukuran (P x L x T)		
HS-1	12 lbs	5.4 kg
HS-2	16 lbs	7.3 kg
Kebutuhan Steam Maksimum	200 lbs / hr at 30 psi	
	91 kg / hour at 2.1 kg/ cm	

Pompa Vakum

Daya Motor / Laju Aliran Udara		
3008430	50 hp / 1000 ft / min	37.3 kW / 28.3 m ³ / min
3008433	100 hp / 2000 ft / min	75 kW / 57 m ³ / min

Dimensi Keseluruhan (P x L x T)

50 hp	71 x 43 x 83 in	1803 x 1092 x 2108 mm
100 hp	95 x 78 x 70 in	2413 x 1981 x 1778 mm

F ilter (filter 4, 5 dan 12 inch juga tersedia)

3034013 - 6 in Flanged	1100 ft ³ / min	31 m ³ / min
16 dia. x 29 in	406 dia. x 714 mm	95 lbs
1034070 - Filter Element		
3034024 - 6 in Flanged (stainless steel)	1100 ft ³ / min	31 m ³ / min
16 dia. x 29 in	406 dia. x 714 mm	95 lbs
1034081 - Elemen Filter (stainless steel)		
3034010 - 8 in Flanged	2000 ft ³ / min	57 m ³ / min
20 dia. x 38 in	508 dia. x 965 mm	185 lbs
1034065 - Elemen Filter		
3034015 - 10 in Flanged	3000 ft ³ / min	85 m ³ / min
24 dia. x 57.5 in	610 dia. x 1461 mm	380 lbs
1034074 - Elemen Filter		

Dimensi Keseluruhan Tangki Sediment (diameter x tinggi)

3061301 (138 gal) 2000 ft ³ / min	57m ³ / min	36 dia. x 86 in	914 dia. x 2184 mm
3061304 (357 gal) 4000 ft ³ / min	113 m ³ / min	5 dia. x 104 in	1372 dia. x 2642 mm

Pilihan Peralatan dan Aksesori

Nomor Pemesanan

Steam Vacuum Hock Cleaning System

HS-1	Front Leg Cleaner dengan control handles	3019248
HS-2	Rear Hock Cleaner dengan control handles	3019249

Balancer	HS-1 & HS-2	4042002
----------	-------------	---------

Pneumatic Auto Dump Valve

115 V, 3 phase, 60 Hz*	3022089
220 V, 3 phase, 50 Hz*	3022111

* Untuk konfigurasi lainnya: harap cantumkan tegangan, frekuensi (Hz), dan negara tempat alat akan dioperasikan saat melakukan pemesanan.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com