

DEHIDER BLADE RECONDITIONER MODEL BR-5A Part Number : 4011022



Jarvis Model BR-5A – for sharpening the dehider blade until it's sharp.

SHARPER KNIFE FOR HIGH QUALITY REVIEWING

- Sharpen circular saws with a diameter of 110 mm until sharp again in accordance with the original design specifications.
- Will not erode the saw blade - extends the life of a circular saw.
- The gap in the sharpener is the right size with a round sawtooth.
- This tool has been designed to reduce operator errors.
- To use this tool minimum training is required.
- Sharpen the blade perfectly, no need for other tools.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com

DEHIDER BLADE RECONDITIONER

MODEL BR-5A

Part Number : 4011022

Specifications		
Drive	Electric	
Model BR- 5A		
Electric Motor	0.25 hp	186 W
Operating Voltage	115 V, 1 phase, 60 Hz	3450 rpm
	220 V, 1 phase, 50 Hz	2850 rpm
Overall Dimensions (l x w x h)	17 x 13 x 10 in 431 x 330 x 254 mm	
Weight	45 lbs	20.4 kg
Noise (one meter from unit)	less than 75 dB	

Equipment Selection and Accessories		Order Number
Model BR-5A for 110 mm diameter blade		
	115 V, 1 phase, 60 Hz	4011023
	115 V, 1 phase, 50 Hz	4011025
	230 V, 1 phase, 60 Hz	4011027
	230 V, 1 phase, 50 Hz	4011022
(Round Tooth Profile)	230 V, 1 phase, 50 Hz	4011051
Pre-formed Wheel (Tooth Profile Grinding)	BR-5A	1057075
	Round Tooth	1057067
Cup Wheel (Blade Face Grinding)	110 mm diameter blade - BR-5A	1057046
Jarvis Lapping Disc	for blade face touch-up	1057006



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com

DEHIDER BLADE RECONDITIONER MODEL BR-5A Part Number : 4011022



Jarvis Model BR-5A – untuk mengasah pisau dehider hingga kembali tajam.

- Mengasah pisau gergaji bundar berdiameter 110 mm hingga kembali tajam sesuai spesifikasi desain aslinya.
- Tidak mengikis mata gergaji sehingga memperpanjang masa pakai pisau gergaji bundar.
- Celah pada alat pengasah dirancang dengan ukuran yang sesuai untuk mata gergaji bundar bergigi bulat.
- Alat ini dirancang untuk mengurangi kesalahan operator selama proses pengasahan.
- Alat ini mudah digunakan dan hanya memerlukan pelatihan minimal bagi operator.
- Mengasah mata pisau secara optimal tanpa memerlukan alat tambahan.

**PISAU LEBIH TAJAM UNTUK
HASIL KERJA BERKUALITAS
TINGGI**



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com

DEHIDER BLADE RECONDITIONER

MODEL BR-5A

Part Number : 4011022

Spesifikasi

Drive	Electrik	
Model BR- 5A		
Motor Electrik	0.25 hp	186 W
Tegangan Operasional	115 V, 1 phase, 60 Hz	3450 rpm
	220 V, 1 phase, 50 Hz	2850 rpm
Dimensi Keseluruhan (p x l x t)	17 x 13 x 10 in 431 x 330 x 254 mm	
Berat	45 lbs	20.4 kg
Kebisingan (satu meter dari unit)	kurang dari 75 dB	

Pilihan Peralatan dan Aksesori	Nomor Pemesanan	
Model BR-5A untuk blade dengan diameter 110 mm		
	115 V, 1 phase, 60 Hz	4011023
	115 V, 1 phase, 50 Hz	4011025
	230 V, 1 phase, 60 Hz	4011027
	230 V, 1 phase, 50 Hz	4011022
(Round Tooth Profile)	230 V, 1 phase, 50 Hz	4011051
Pre-formed Wheel (Tooth Profile Grinding)	BR-5A	1057075
	Round Tooth	1057067
Cup Wheel (Blade Face Grinding)	110 mm diameter blade - BR-5A	1057046
Jarvis Lapping Disc	for blade face touch-up	1057006



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com