


SHEEP AND GOAT HORN CUTTER

Model 30CL-3



The Jarvis Model 30CL-3 - hydraulically powered horn cutter for sheep, goats and beef nubs.

JARVIS

- The 30CL-3 is specifically designed for high production removal of sheep and goat horns.
- The 30CL-3 will cut beef nubs flush to the skull.
- Effortlessly removes the curliest horns directly on the skull.
- Compact design with pistol grip and stick handles for optimum operator comfort.
- Built tough for long trouble-free operation.
- Anti-tie down controls for operator safety
- Robust stainless steel construction for best possible hygiene and low maintenance.
- Meets national and international requirements for safety and hygiene.



AIG GROUP
JARVIS®

HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

☎ +6281270762750

✉ info@arsiindograha.com

🌐 www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

☎ +250793885693

✉ info@rcrwanda.com

🌐 www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

☎ +971507169760

✉ info@arsyi.com

🌐 www.arsyi.com

SHEEP AND GOAT HORN CUTTER

Model 30CL-3

Specifications

Drive Hydraulic

Model 30CL-3

Cutting Force	9900 lb-f	44 kN
Cutting Cycle Time		1.5 sec
Control Handles	Air / Dual Anti-tie Down	50 psi
		3.4 bar
Blade Opening	4 in	102 mm
Overall Length	28 in	711 mm
Weight	38 lbs	17.2 kg

Hydraulic Power Unit

Motor Power	Single Tool	5 hp	3729 W
	Two Tools	10 hp	7457 W

Operating Voltage 460 / 230 V, 3 phase, 60 Hz
other voltages and 50 Hz available

Hose Length 16 ft 4.9 m

Oil Capacity 20 gal 76 L

30 gal 114 L

Oil Viscosity @ 100° F/ 40° C 200 SUS 46 ISO

Overall Dimensions (l x w x h)	4027266	32.3 x 25.1 x 29.9 in	820 x 638 x 760 mm
	4027201	39.3 x 35.4 x 33.8 in	998 x 899 x 859 mm

Weight	4027266	250 lbs	113 kg
	4027201	500 lbs	227 kg

Equipment Selection and Accessories

Order Number

Model 30CL-3 Dehorner 4025068

Hydraulic Power Unit

Single tool with hydraulic and control hoses	
460 / 230 V, 3 phase, 60 Hz*	4027266
Two tools with hydraulic and control hoses	
460 / 230 V, 3 phase, 60 Hz*	4027201

Balancer 4042035

Blade 1 Piece 1023344

Blade Set 3023158

* For other configurations: please specify voltage, hertz and intended country of operation when ordering.



JARVIS®

HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com


ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com

SHEEP AND GOAT HORN CUTTER MODEL 30CL-3



Jarvis Model 30CL-3 adalah alat pemotong tanduk bertenaga hidrolik yang digunakan untuk domba, kambing, dan sapi dengan tanduk kecil.

JARVIS

- Model 30CL-3 dirancang khusus untuk pemotongan tanduk domba dan kambing dalam jumlah besar dengan cepat dan efisien.
- Model 30CL-3 dapat memotong tanduk kecil pada sapi hingga rata dengan tengkorak.
- Mampu memotong tanduk yang paling melengkung dengan mudah, langsung dari pangkal tanduk.
- Desainnya compact dengan pistol grip and stick handles untuk kenyamanan yang maksimal bagi operator.
- Dibuat dengan kokoh untuk penggunaan jangka panjang dengan minim gangguan.
- Sistem pengaman anti-tie down untuk keselamatan operator.
- Terbuat dari stainless steel yang kokoh, untuk menjaga kebersihan dan meminimalkan perawatan.
- Memenuhi standar nasional dan internasional terkait persyaratan kebersihan dan keselamatan kerja.



AIG GROUP

JARVIS®

HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com

SHEEP AND GOAT HORN CUTTER MODEL 30CL-3

Spesifikasi			
Drive			Hidrolik
Model 30CL-3			
Gaya Potong		9900 lb-f	44 kN
Waktu Siklus Pemotongan			1.5 sec
Pegangan Kontrol	Udara / Dual Anti-tie Down	50 psi	3.4 bar
Jarak Buka-an Blade Keseluruhan		4 in	102 mm
Panjang		28 in	711 mm
Berat		38 lbs	17.2 kg
Hydraulic Power Unit			
Daya Motor	Single Tool	5 hp	3729 W
	Dual Tool	10 hp	7457 W
Tegangan Operasional		460 / 230 V, 3 phase, 60 Hz tegangan lainnya dan tersedia 50 Hz	
Panjang Selang		16 ft	4.9 m
Kapasitas Oli		20 gal	76 L
		30 gal	114 L
		200 SUS	46 ISO
Viskositas Oli @ 100° F/ 40° C			
Dimensi Keseluruhan (P x L x T)			
	4027266	32.3 x 25.1 x 29.9 in	820 x 638 x 760 mm
	4027201	39.3 x 35.4 x 33.8 in	998 x 899 x 859 mm
Berat			
	4027266	250 lbs	113 kg
	4027201	500 lbs	227 kg

Pilihan Peralatan dan Aksesori	Nomor Pemesanan
Model 30CL-3	Dehorner 4025068
Hydraulic Power Unit	
Single tool dengan hydraulic dan control hoses 460 / 230 V, 3 phase, 60 Hz*	4027266
Two tools dengan hydraulic dan control hoses 460 / 230 V, 3 phase, 60 Hz*	4027201
Balancer 4042035	
Blade 1 Piece	1023344
Blade Set	3023158

* Untuk konfigurasi lainnya: harap cantumkan tegangan, frekuensi (Hz), dan negara (tempat alat akan digunakan saat melakukan pemasaran).



JARVIS®

HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750

info@arsiindograha.com

www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693

info@rcrwanda.com

www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760

info@arsyi.com

www.arsyi.com