



CARCASS SPLITTING BANDSAW MODEL BUSTER V Part Number : 4006151



The Jarvis Model Buster V - electrically powered bandsaw for splitting bulls, cows and horses.

SPLITTING ANIMALS WITH HIGH PERFORMANCE

- Used worldwide for splitting fat cattle, bulls, oxen and horses
- The largest Jarvis splitting saw; suited for the largest carcasses.
- Superior blade life : 400 - 600 carcasses per blade.
- Best possible hygiene - spoked wheels, flat surfaced housing and completely opening doors - for fast, easy and complete cleaning.
- The drive system is oil bath lubricated for sustained trouble-free operation.
- Designed for operator - ultra-thin rail for unobstructed vision and dual rear handles for comfort.
- Anti-tie down controls and totally enclosed electric motor for operator safety.
- Meet national and international requirements for cleanliness and safety.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com

CARCASS SPLITTING BANDSAW

MODEL BUSTER V

Part Number : 4006151

Spesification

Drive	Electric	
Model BUSTER V		
Motor Power	3.3 hp	2500 W
Operating Voltage	460 / 230 V, 3 phase, 60 Hz other voltages	
Capacity	180 head / hour	
Control Handles	Electric Dual Anti-tie Down	
Distance between guides	502 mm	
Blade Length	3226 mm	
Overall Length	1448 mm	
Drive Wheel Speed	530 rpm	
Vibration (less than)	115 dB	0.6 m / sec
Weight	196 lbs	88.9 kg

Equipment Selection and Accessories

Order Number

Model BUSTER V		
	460 / 230 V, 3 phase, 60 Hz	4006033
	380 / 220 V, 3 phase, 50 Hz	4006057
	42 V, 3 phase, 50 Hz	4006036
Blade Options		
	127 in / 3226 mm - Standard 127	1023159
	in / 3226 mm - Cut Tooth	1023338
	127 in / 3226 mm - Cut Tooth, JET Blade 127 in /	1023623
	3226 mm - JET Blade	1023620
Spring Balancer		4042052
Air Balancer		
108 in / 2743 mm travel, 48 in / 1219 mm cylinder (overall length) 108 in / 2743		4042016
120 in / 3048 mm cylinder (overall length)		4042020



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE


RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com


CARCASS SPLITTING BANDSAW MODEL BUSTER V Part Number : 4006151



Jarvis Model Buster V - bandsaw bertenaga listrik untuk membelah karkas sapi jantan, sapi betina, dan kuda.

**MEMBELAH KARKAS
DENGAN PERFORMA
TINGGI**

- Alat ini digunakan di seluruh dunia untuk membelah karkas, sapi, sapi jantan, kerbau, dan kuda.
- Splitting saw Jarvis terbesar, cocok untuk karkas berukuran besar.
- Masa pakai blade tahan lama: 400–600 karkas per blade.
- Higienitas optimal – spoked wheels, flat surfaced housings, dan door yang dapat dibuka sepenuhnya untuk memudahkan pembersihan secara cepat, mudah, dan menyeluruh.
- Drive system dilumasi dengan oil bath untuk pengoperasian yang berkelanjutan dan bebas gangguan.
- Dirancang untuk kenyamanan operator – rail ultra-tipis untuk memberikan pandangan yang tidak terhalang dan dual rear handles untuk kenyamanan.
- Anti-tie down controls dan motor elektrik yang tertutup sepenuhnya untuk keselamatan operator.
- Memenuhi persyaratan kebersihan dan keselamatan nasional dan internasional.



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com

CARCASS SPLITTING BANDSAW MODEL BUSTER V

Spesifikasi

Drive	Elektrik	
Model BUSTER V		
Daya Motor	3.3 hp	2500 W
Tegangan Operasional	460 / 230 V, 3 phase, 60 Hz other voltages	
Kapasitas	180 head / hour	
Tuas Pengendali	Electric Dual Anti-tie Down	
Jarak Antar a guides	502 mm	
Panjang Blade	3226 mm	
Panjang Keseluruhan	1448 mm	
Kecepatan Drive Wheel	530 rpm	
Getaran (kurang dari)	115 dB	0.6 m / sec
Berat	196 lbs	88.9 kg

Pilihan Peralatan dan aksesoris

Nomor Pemesanan

Model BUSTER V		
	460 / 230 V, 3 phase, 60 Hz	4006033
	380 / 220 V, 3 phase, 50 Hz	4006057
	42 V, 3 phase, 50 Hz	4006036
Blade Options		
	127 in / 3226 mm - Standard 127	1023159
	in / 3226 mm - Cut Tooth	1023338
	127 in / 3226 mm - Cut Tooth, JET Blade 127 in /	1023623
	3226 mm - JET Blade	1023620
Spring Balancer		4042052
Air Balancer		
108 in / 2743 mm travel, 48 in / 1219 mm cylinder (panjang keseluruhan) 108 in / 2743		4042016
120 in / 3048 mm cylinder (panjang keseluruhan)		4042020



HEADQUARTER

PT ARSI INDO GRAHA
INDONESIA

+6281270762750
info@arsiindograha.com
www.arsiindograha.com

GLOBAL OFFICE

RC INDO GROUP LIMITED
RWANDA

+250793885693
info@rcrwanda.com
www.rcrwanda.com

ARSYI GLOBAL L.L.C-FZ
DUBAI

+971507169760
info@arsyi.com
www.arsyi.com